



Date : August 18, 2009



SPS-G100 SERIES

100Watts, AC-DC Single output
Green Mode Design

Feature:

- Green-mode design, No load <1W
- All use 105°C long life E. Capacitor
- Universal input 88~264VAC or 125~375VDC
- High efficiency and high reliability
- Power ON with LED indicator
- Over voltage Protection: Shutdown and latch off
- Over load & short circuit protection: Hiccup mode
- Output voltage $\pm 10\%$ adjustment
- 100% full load burn-in test
- -20°C to 70°C operation temperature
- UL, cUL, TUV, CB, CE certified
- 3 years warranty
- Dimension : 159 x 95 x 38 mm

NEW product SPS-G100 Single output

Electronic function:

- * **Green Mode designed** : power consumption at no load <1 watt at 230VAC.
- * The new mechanical design with **Hexagon ventilation hole**, which has the better heat dissipation.
- * **Wide operating temperature from -20deg.C to 70deg.C.**(please refer to the detail spec)
- * **90deg. terminal available with MOQ**

Safety:

Complied to EN61000-3-2 Class A standard.
CB and TUV EN60950-1:2006 approval.
UL, cUL 60950-1 will be available in the end of Aug.
 New CE directive conformity (**LVD 2006/95/EC and EMS 2004/108/EC**) is available.

Application:

Programmable logic controller
Automatic control
Industrial control
Test equipment
Printer
POS system
Electronic voting machine
Franking machine
Gambling machine
 and the systems require for DC output voltage P/S.

For more info, please feel free to contact your sales representative.